# **Plateosauria**

**Plateosauria** is a <u>clade</u> of <u>sauropodomorph</u> <u>dinosaurs</u> which lived during the <u>Late Triassic</u> to the <u>Late Cretaceous</u>. The name Plateosauria was first coined by <u>Gustav Tornier</u> in 1913.<sup>[1]</sup> The name afterwards fell out of use until the 1980s.


# Classification

Plateosauria is a <u>node-based taxon</u>. In 1998, <u>Paul Sereno</u> defined Plateosauria as the <u>last common ancestor</u> of <u>Plateosaurus engelhardti</u> and <u>Massospondylus carinatus</u>, and its descendants. Peter Galton and <u>Paul Upchurch</u> in 2004 used a different definition: the last common ancestor of <u>Plateosaurus engelhardti</u> and <u>Jingshanosaurus xinwaensis</u>, and its descendants. In their <u>cladistic</u> analysis the <u>Plateosauria belonged</u> to the <u>Prosauropoda</u>, and included the <u>Plateosauridae</u> subgroup. In Galton's and <u>Upchurch's study also <u>Coloradisaurus</u>, <u>Euskelosaurus</u>, <u>Jingshanosaurus</u>, <u>Massospondylus</u>, <u>Mussaurus</u>, <u>Sellosaurus</u>, and <u>Yunnanosaurus</u> proved to be plateosaurians. [3]</u>

However, recent <u>cladistic</u> analyses suggest that the Prosauropoda as traditionally defined is <u>paraphyletic</u> to <u>sauropods</u>. [4][5][6][7][8] Prosauropoda, as currently defined, is a <u>synonym</u> of <u>Plateosauridae</u> as both contain the same taxa by definition.

The following <u>cladogram</u> simplified after an analysis presented by Apaldetti and colleagues in 2011.<sup>[8]</sup>

### <u>Plateosauria</u>



# Plateosaurians Temporal range: Late Triassic-Late Cretaceous, 225–66 Ma Pre€ € OS D C P T J K PgN

Plateosaurus engelhardti skeleton

## Scientific classification 🥖

on 🥖


Kingdom:	Animalia
Phylum:	Chordata
Clade:	Dinosauria
Clade:	Saurischia

Suborder: †Sauropodomorpha


Clade: †Plateosauria Tornier, 1913

## **Subgroups**

- †Plateosauravus
- †Ruehleia
- †Xixiposaurus?
- †Plateosauridae
- †Massopoda



The following cladogram simplified after an analysis presented by Blair McPhee and colleagues in 2014.<sup>[9]</sup>



# References

- 1. Tornier, G., 1913, "Reptilia (Paläontologie)" In: *Handwörterbuch Naturwissenschaften* **8**: 337-376
- 2. Sereno, P.C. (1998). "A rationale for phylogenetic definitions, with applications to the higher-level taxonomy of Dinosauria". *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen.* **210**: 41–83.
- 3. Galton, P.M & Upchurch, P. (2004). "Prosauropoda". In D. B. Weishampel, P. Dodson, & H. Osmólska (eds.), The Dinosauria (second edition). University of California Press, Berkeley: 232–258.
- 4. Yates, Adam M. (2003). "Species taxonomy of the sauropodomorph dinosaurs from the Löwenstein Formation (Norian, Late Triassic) of Germany". *Palaeontology*. **46** (2): 317–337. doi:10.1111/j.0031-0239.2003.00301.x (https://doi.org/10.1111%2Fj.0031-0239.2003.00301.x).
- 5. Yates, Adam M. (2007). "The first complete skull of the Triassic dinosaur *Melanorosaurus* Haughton (Sauropodomorpha: Anchisauria)". *In Barrett & Batten (eds.), Evolution and Palaeobiology*. **77**: 9–55. ISBN 978-1-4051-6933-2.
- 6. Pol D.; Garrido A.; Cerda I.A. (2011). "A New Sauropodomorph Dinosaur from the Early Jurassic of Patagonia and the Origin and Evolution of the Sauropod-type Sacrum" (http://www.plosone.org/article/info:doi/10.1371/journal.pone.0014572). *PLoS ONE*. **6** (1): e14572.

Bibcode:2011PLoSO...614572P (https://ui.adsabs.harvard.edu/abs/2011PLoSO...614572P). doi:10.1371/journal.pone.0014572 (https://doi.org/10.1371%2Fjournal.pone.0014572). PMC 3027623 (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3027623). PMID 21298087 (https://pubmed.ncbi.nlm.nih.gov/21298087).

- 7. Fernando E. Novas; Martin D. Ezcurra; Sankar Chatterjee; T. S. Kutty (2011). "New dinosaur species from the Upper Triassic Upper Maleri and Lower Dharmaram formations of central India". *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*. **101** (3–4): 333–349. doi:10.1017/S1755691011020093 (https://doi.org/10.1017%2FS1755691011020093).
- 8. Cecilia Apaldetti, Ricardo N. Martinez, Oscar A. Alcober and Diego Pol (2011). "A New Basal Sauropodomorph (Dinosauria: Saurischia) from Quebrada del Barro Formation (Marayes-El Carrizal Basin), Northwestern Argentina" (http://www.plosone.org/article/info%3Adoi%2F10.13 71%2Fjournal.pone.0026964). PLoS ONE. 6 (11): e26964. Bibcode:2011PLoSO...626964A (https://ui.adsabs.harvard.edu/abs/2011PLoSO...626964A). doi:10.1371/journal.pone.0026964 (https://doi.org/10.1371%2Fjournal.pone.0026964). PMC 3212523 (https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3212523). PMID 22096511 (https://pubmed.ncbi.nlm.nih.gov/22096511).
- 9. McPhee, B. W.; Yates, A. M.; Choiniere, J. N.; Abdala, F. (2014). "The complete anatomy and phylogenetic relationships of *Antetonitrus* ingenipes(Sauropodiformes, Dinosauria): Implications for the origins of Sauropoda". *Zoological Journal of the Linnean Society*. **171**: 151. doi:10.1111/zoj.12127 (https://doi.org/10.1111%2Fzoj.12127).

Retrieved from "https://en.wikipedia.org/w/index.php?title=Plateosauria&oldid=955184190"

This page was last edited on 6 May 2020, at 11:57 (UTC).

Text is available under the <u>Creative Commons Attribution-ShareAlike License</u>; additional terms may apply. By using this site, you agree to the <u>Terms of Use</u> and <u>Privacy Policy</u>. Wikipedia® is a registered trademark of the <u>Wikimedia</u> Foundation, Inc., a non-profit organization.